

# DS75i

## Folder Inserter

### Intelligent and Easy Document Processing



## NEOPOST

Send.Receive.Connect

The Market Leader in Mailing Technology.



[neopost.com.au](http://neopost.com.au)



1800 422 349



[ebusiness@neopost.com](mailto:ebusiness@neopost.com)

# Intelligent and Easy Document Processing

## Productive, Versatile & Intuitive Folder Inserter

The **DS75i** combines unparalleled ease of use with advanced technology. With its compact footprint, large loading and unloading capabilities, and features like CIS scanning technology, the **DS75i** can process a wide variety of mailpieces for direct marketing campaigns, invoicing, monthly statements and many other applications. The **DS75i** can be connected to your network and you can benefit from unique services such as remote assistance and remote diagnostics to provide help when needed. Easy to use via its full-colour touch screen and unique intuitive navigation, and extraordinarily quiet, the **DS75i** fits perfectly into any work environment.

## Optional Features



### Automate Your Document Processing with OMS-200 Software

Neopost's Output Management Software simplifies and automates your document creation process. So you can:

- Automatically add a barcode giving more value to your documents and guaranteeing your mail integrity with secure control marks
- Select inserts from multiple trays maximising your options
- Split your print file based on the number of pages



### Monitor, Secure and Verify Your Mail Production Output with OMS-500 and AIMS-500 Software

Neopost offers you the assurance that your printed jobs are accurate, complete and have actually been mailed. Output Management Software (OMS-500) applies a unique Job and Mailpiece ID to every document. Each mailpiece is reconciled real-time as it's inserted against a database using AIMS-500 technology. This provides you with real-time quality control and detailed reports:

- 100% verification of job completion
- Real time failure detection of missing mailpiece
- Reprint Loop for missing or failed mailpieces
- Reporting on individual jobs, performance and trends



### Complete Content Control and Security You Can Rely On

With its Contact Image Sensor (CIS) scanner technology, the **DS75i** can read any type of coding such as OMR, OCR, 1D barcodes and 2D data matrix codes. And the code can be printed anywhere on the document. The scanner reads the full A4 page and the barcode can be read horizontally or vertically. This unique feature provides full flexibility to fulfill any layout requirement.

## Versatile - Customise Your DS75i to Your Needs

Offering several feeder configurations, it allows you to design and deliver attractive mailshots.



### Increase Productivity

- High-capacity feeder
- MaxiFeeder tray
- High-capacity vertical stacker



### Process Invoices and Statements

- 2 standard feeders
- 1 MaxiFeeder tray
- High-capacity vertical stacker



### Enhance Customer Communications

- 1 daily mail feeder
- 2 standard feeders
- Side exit tray

**Automated Stacker**  
The high-capacity vertical stacker holds up to 500 finished envelopes

**Touch Screen Display**  
Full-colour 7" touch screen enables navigation easily to create a new job or access existing jobs within seconds


**CIS Scanner**  
The scanner can read any type of coding printed horizontally or vertically in the document



ICE SOLU  
SUPPORT HI  
MAILING SOL  
GRAPHICS NEC  
SERVICE EQUI  
NSUMABLES S

MAIL R  
LARG  
MA  
ION

REHOUSE  
RKET LE  
QUALITY DIC  
ECHNOLO  
LOCAL F  
INTERNAT



**Document Feeders**

Process multiple page sets at high processing speeds of up to 975 (3 x 325) documents using the 3 standard feeders; all feeders can be used in cascading mode and have paper sensors which ensure the operator is constantly informed on how to proceed to run the system

**A State-of-the-Art Graphical User Interface**

Designed for all users, the intuitive, full-colour, high-resolution 7" touch screen provides a wizard-based user-friendly interface, making it easy for anyone to select and run their folding and inserting jobs.

Alternatively, see how easy it is to create a new job using our exclusive Load'n'Go intuitive procedure. Simply load your documents and envelopes and then press the start button. The DS75i will automatically measure the length of all loaded documents as well as the envelope in order to adjust all settings and process the appropriate mail items.



Easy Operation



Cost Saving



Efficient



Innovative

**Optimise Productivity with the MaxiFeeder Tray**

Choose to load the MaxiFeeder with up to 325 BRE or load up to 1,200 sheets to maximise your productivity.



**Smart Solutions to Maximise Flexibility**

The exclusive FlexFeed® tray enables you to process any document size or type. In combination with the unique semi-automatic envelope separation mechanism, this provides full flexibility for feeding a wide variety of document types. You can use practically any size and type of material to address your prospective and current customers efficiently.

Specifications	
Speed	Up to 3,800 / hr
Load'n Go + automated settings	Yes
FlexFeed multi-format feeder	Yes
Multiple sheet feeding	Yes
Cascade from all feeders	Yes
Number of feeders	Up to 3 feeders
PowerFold folding capacity (one set, single fold)	Yes (up to 10 sheets 80 gsm)
Job memories	50
Manual feed	Yes
Document feeder capacity	325 sheets 80 gsm
High capacity document feeder 1200 sheets 80 gsm	Optional
Envelope hopper capacity	325
High capacity vertical stacker up to 500 envelopes	Optional
Side exit up to 400 C5 envelopes	Optional
Fold types	Letter, zigzag, single, double parallel, no fold 
Insert'n Meter system integration	Optional
Document height	90 - 356 mm
Document width	130 - 230 mm
Document weight	60 - 250 gsm
Envelope length	90 - 162 mm
Set thickness	2,5 mm
Envelope width	160 - 248 mm
Mail Quality & Security	
Secure'n Feed double detection	Yes
Accumulate before folding	Yes
Barcode Reader (BCR) for 1D and 2D barcodes	Optional
Optical Mark Recognition (OMR)	Optional
OCR n/m	Optional
Mail Production Output	Optional
Tip to tip sealing	Yes
Connectivity	
LAN Embedded	Yes
Wi-Fi Embedded	Yes
Remote Assistance	Optional
Remote Diagnostics	Optional
System Dimensions	
<b>Standard configuration: 3 feeders with catch tray</b>	
Length x Height x Depth	1270 x 720 x 500 mm
Weight	79 kg
Noise level	66 Db

## Environmental Commitment



The **DS75i** carries Neopost's Eco-Label which aims to provide a clear and consistent set of environmental performance criteria used in the design phase of our products. Hence it's automatic standby mode helps reduce energy consumption, while it's recyclable packaging represents less than 20% of the total weight of the packed product.

## Your Needs, Your Solution



Neopost Finance is committed to helping you manage your investment. Through our internal financing program, we reinforce our commitment of providing flexible financing solutions. Our professional and helpful staff offer you first rate customer service in providing you finance alternatives for Neopost equipment and services.

## We've got you Covered.



Neopost's customer support is there for you with our contact center and trained technicians who are ready to assist you. We are committed to providing you with world class customer satisfaction and offer automatic diagnostics with our product line. Neopost ensures the best customer and after sales service in the world. Whether for advice or support, you will benefit from our commitment to supply first-class service - on the phone, onsite or online.

## Why Choose Neopost?



Neopost is a global leader in mailing solutions, shipping services and digital communications. We believe that people are the key to business success. That's why our products and services are tailored to help your organisation improve the quality of its interactions and bring people closer together.

In this age of multichannel communications, we guide and empower you to interact in new and innovative ways. We advise you on how to create cost-cutting synergies. And we deliver global coverage with a strong local presence, offering you continual support by phone, onsite or online.

Specifications are subject to change without notice. Neopost and the Neopost logo are registered trademarks of Neopost S.A. All other trademarks are the properties of their respective owners.